ELSEVIER

Toxicology 112 (1996) 265–266

TOXICOLOGY

Volume contents

Volume 112 (1996)

Publishers note v

Cocaine-induced mitochondrial dysfunction in primary cultures of rat cardiomyocytes
(Cocaine produces a dose- and time-dependent decrease in mitochondrial membrane potential prior to signs of cytotoxicity)
C. Yuan, D. Acosta Jr. (USA) 1–10

Influence of dietary protein levels on the acute toxicity of methylmercury in mice
(Low protein diet affords protection, presumably by reducing liver susceptibility)
T. Adachi, A. Yasutake, K. Eto, K. Hirayama (Japan) 11–17

Stimulation of calcium uptake in cultured rat hippocampal neurons by 2,3,7,8-tetrachlorodibenzo-*p*-dioxin
(Cellular membrane targets may be involved in the response of hippocampal neurons to TCDD)
W.H. Hanneman, M.E. Legare, R. Barhoumi, R.C. Burghardt, S. Safe, E. Tiffany-Castiglioni (USA) 19–28

Blocking effect of anti-mouse interleukin-6 monoclonal antibody and glucocorticoid receptor antagonist, RU38486, on metallothionein-inducing activity of serum from lipopolysaccharide-treated mice
(Lipopolysaccharide induced elevation of hepatic metallothionein is mediated by IL-6 and dependent on the presence of glucocorticoid)
N. Itoh, K. Kasutani, N. Muto, N. Otaki, M. Kimura, K. Tanaka (Japan) 29–36

Teratogenic effects of the demethylating agent 5-aza-2′-deoxycytidine in the Swiss Webster mouse
(Specific hindlimb gene function may be disrupted through hypomethylation of DNA)
S. Branch, B.M. Francis, C.F. Brownie, N. Chernoff (USA) 37–43

Menadione causes increases in the level of glutathione and in the activity of γ-glutamylcysteine synthetase in cultured Chinese hamster V79 cells
(Several reasons for the increase in enzyme activity have been excluded)
T. Ochi (Japan) 45–55

In vitro and in vivo induction of heat shock (stress) protein (Hsp) gene expression by selected pesticides
(Heat shock proteins may be involved in protecting tissues against pesticide toxicity)
D. Bagchi, G. Bhattacharya, S.J. Stohs (USA) 57–68

Cytotoxicity of unsaturated metabolites of valproic acid and protection by vitamins C and E in glutathione-depleted rat hepatocytes
(Cytotoxicity is metabolite-mediated and depends upon glutathione homeostasis)
M. Jurima-Romet, F.S. Abbott, W. Tang, H.S. Huang, L.W. Whitehouse (Canada) 69–85

Biliary excretion of exogenous cadmium, and endogenous copper and zinc in the Eisai hyperbilirubinuric (EHB) rat with a near absence of biliary glutathione
(Biliary cadmium is mostly excreted via the ATP-driven anion system)
N. Sugawara, Y.-R. Lai, K. Arizono, T. Ariyoshi (Japan) 87–94

Congress Announcement 95

Effect of cadmium on calcium transport in a human fetal hepatic cell line (WRL-68 cells)
Cd is a competitive inhibitor of Ca uptake and inhibition can be reversed by dithiothreitol
V. Souza, L. Bucio, D. Jay, E. Chávez, M.C. Gutiérrez-Ruiz 97–104

Spontaneous development of fatty liver in ferrets in a toxicology study
Meat and fish containing diets cause high hepatic triglyceride levels
J. Shavila, L.J. King, D.V. Parke 105–116

Transport and metabolism of glutathione conjugates of menadione and ethacrynic acid in confluent monolayers of rat renal proximal tubular cells

Transport through monolayers is associated with deconjugation and reconjugation
H.E.M.G. Haenen, A. Spenkelink, C. Teunissen, J.H.M. Temmink, J.H. Koeman, P.J. van Bladeren 117–130
Methanol potentiation of carbon tetrachloride hepatotoxicity: the central role of cytochrome P450
Increased toxicity appears to be due to increased metabolism
J.W. Allis, B.L. Brown, J.E. Simmons, G.E. Hatch, A. McDonald, D.E. House 131–140
Influence of Aroclor 1254, phenobarbital, β-naphthoflavone, and ethanol pretreatment on the biotransformation of cyclophosphamide in male and female rats
The pretreatments result in changes of P-450-mediated metabolism
P.J.M. Sessink, W.H.J. Vaes, P.H.H. van den Broek, J.H.C. de Roos, J. Noordhoek, R.P. Bos 141–150

Short Communication
Nephrotoxic impact of multiple short-interval cadmium-metallothionein injections in the rat
P.E. Leffler, T. Jin, G.F. Nordberg 151–156

Immunotoxicology

Review Article
Contaminant-induced immunotoxicity in harbour seals: wildlife at risk?
Comparison of immune changes and contamination levels in seals from the Baltic sea and the Atlantic ocean is overviewed
P. Ross, R. De Swart, R. Addison, H. Van Loveren, J. Vos, A. Osterhaus 157–169

Announcements 171–172

Vinclozolin does not alter progesterone receptor (PR) function in vivo despite inhibition of PR binding by its metabolites in vitro
Following short-term in vivo exposure, metabolites do not reach high enough levels to disrupt female reproductive function
S.C. Laws, S.A. Carey, W.R. Kelce, R.L. Cooper, L.E. Gray, Jr. 173–182
Comparison of the efficacy of single or repeated HI-6 treatment following soman poisoning in guinea pigs and marmoset monkeys
The pharmacokinetic data for H16 are given; repeated doses protect marmosets
R.W. Busker, J.J. Zijlstra, I.H.C.H.M. Philippens, B. Groen, B.P.C. Melchers 183–194
Effects of extended sidestream smoke exposure on components of the C-fiber axon reflex
Changes induced by SS most likely involve the C-fiber itself
J.P. Joad, K.P. Avadhanam, K.C. Watt, K.S. Kott, J.M. Bric, K.E. Pinkerton 195–203
Pulmonary metallothionein expression in rats following single and repeated exposure to cadmium aerosols
A lag between maximal metallothionein expression and maximal protein accumulation suggests the involvement of regulatory mechanisms in addition to transcriptional control
B.A. Hart, Q. Gong, J.D. Eneman 205–218
Cadmium-induced production of superoxide anion and nitric oxide, DNA single strand breaks and lactate dehydrogenase leakage in J774A.1 cell cultures
Cd toxicity may, at least partially, be mediated through oxidative stress
E.A. Hassoun, S.J. Stohs 219–226
Evaluation of cytotoxic effects of different doses of vinblastine on mouse spermatogenesis by flow cytometry
About 0.5 mg/kg are cytotoxic to various germ cell populations
G.C. Jagetia, H. Krishnamurthy, P. Jyothi 227–236
Effects of chromium(VI) on some ion-dependent ATPases in gills, kidney and intestine of a coastal teleost *Periophthalmus dipes*
Chromium interferes with active transport mechanisms in gills, kidney and intestine
J. Thaker, J. Chhaya, S. Nuzhat, R. Mittal, A.P. Mansuri, R. Kundu 237–244

Immunotoxicology
Extension of the 4-week safety study for detecting immune system impairment appears not necessary: example of cyclosporin A in rats
These results obtained with cyclosporine do not support the inclusion of immune function test in standard 4-week rat studies
G. Descotes, D. Pinard, J.-F. Gallas, E. Penacchio, C. Blot, C. Moreau 245–256

Announcement 257–258
Author index 259–260
Subject index 261–264
Volume contents 265–266